Data Sheet



Last modification

2020-12-22

KMAN EX1-SL 9329501056387



The understated cylinder wall lamp offers a subtle and refined design. Brighten surrounding areas for convenience or highlight feature walls. The aluminium tube is wall mounted with the integrated box section mounting base. Available as one light or two light up / down and powder coat finished in Black, Silver or White. Led GU10 globes are purchased separately and available as either warm, natural or cool white.

Overview

Family name kman **Item Type** Exterior (EX) Mounting Surface

Color / Material

Shade Colour Silver

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation

Data Sheet



Shade Material Metal

Size

Fixture Length (cm) 6.8
Fixture Height (cm) 8.0
Fixture Projection (cm) 9.2

Specification

Voltage Input240VWattage (max)6Globe TypeGU10Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe dependant


IP rating IP54 Warranty 3

Barcode

GTIN 9329501056387

Pricing

PRICE - RRP incGST 49.0



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbix.



