Data Sheet

Last modification

n 2021-02-04

Telbıx.

PEAK WB-BK 9329501056431



This single wall light is a great choice for outdoor walkways, garage areas, back door entrances, and more. It is recommended for use with a Telbix GU10 focal wide LED globe which consumes a mere 6 watts of power. Pivoting arm allows you to aim light where it's needed. Durable aluminum housing with a black, silver, or white finish.

Overview

| Family name Item Type | Peak Wall Bracket (WB) |
|--------------------------|---------------------------|
| Mounting | Surface |
| | |
| <u>Color / Material</u> | |
| Fixture Color 1 | Black |
| Shade Colour | Black |
| Shade Material | Metal |
| | |
| Size | |
| Fixture Diameter (cm) | 6.0 |
| Fixture Length (cm) | 16.0 |
| Fixture Height (cm) | 9.0 |
| Canopy Diameter (cm) | 7.5 |
| Canopy Projection (cm) | 2.0 |
| Base Diameter (cm) | 0.0 |
| Base Height (cm) | 0.0 |
| | |
| <u>Specification</u> | |
| Voltage Input | 240V |
| Wattage (max) | 6 |
| Globe Type | GU10 |
| Globe / Light Source qty | 1 |

No

IP54

Globe dependant

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Dimmable

IP rating


Globe / Light Source included

Data Sheet

Telbıx.

| <u>Barcode</u> | |
|--------------------|---------------|
| GTIN | 9329501056431 |
| | |
| Pricing | |
| PRICE - RRP incGST | 49.0 |

Image -dimensions



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbıx.







All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.